

[Sign in](#)[Register](#)

- [Account](#)
  - [Profile](#)
  - [Newsletter](#)
  - [Favorites](#)
  - [Activity](#)
    - [Recent Activity](#)
    - [Email notifications](#)
    - [Display settings](#)
  - [PM](#)
  - [My news](#)
    - [Add news filter](#)
- [Follow us](#)
  - [Facebook](#)
  - [Twitter](#)
    - [Breaking news](#)
    - [Health news](#)
    - [Biology news](#)
    - [Technology and Electronics](#)
    - [Space news](#)
    - [Physics and Nanotech](#)
  - [Google](#)
    - [Google toolbar button](#)
    - [Google IG module](#)
    - [Chrome extension](#)
  - [Digg](#)
  - [Newsletter](#)
    -
  - [RSS news feeds](#)
    - [Latest news](#)
    - [Spotlight news](#)
    - [Feature and Editorials](#)
    - [More](#)
- [Mobile Apps](#)
  - [iPhone apps](#)
    - [PhysOrg News Lite](#)
    - [PhysOrg News Full](#)
    - [Medical & Health News](#)
  - [iPad apps](#)
    - [PhysOrg News Lite](#)
    - [PhysOrg News HD](#)
  - [Android apps](#)
    - [PhysOrg Science News Lite](#)

- [PhysOrg Science News](#)
  - [Medical & Health News \(free\)](#)
  - [Medical & Health News](#)
- [BlackBerry apps](#)
  - [PhysOrg.com News](#)
- [Amazon Kindle](#)
  - [Science and Research News](#)
  - [Space and Earth News](#)
  - [Physics and Nanotechnology](#)
  - [Health and Medicine News](#)
  - [Technology and Electronics](#)
  - [Biology and Chemistry News](#)
- [Text-to-Speech Podcasts](#)
  - [iTunes](#)
  - [More](#)
- [Quick nav](#)
  - [Feature stories](#)
  - [Weblog & Reports](#)
  - [Archive](#)
  - [Video](#)
  - [Podcasts](#)
- [Help](#)
  - [Suggest a story idea](#)
  - [Send feedback](#)
  - [PhysOrg FAQ](#)
  - [Sponsored account](#)
  - [About us](#)
  - [More](#)
- [Search](#)
  - 
  - [advanced search](#)

## [Science and technology news](#)

- [Home](#)
- [Nanotechnology](#)
- [Physics](#)
- [Space & Earth](#)
- [Electronics](#)
- [Technology](#)
- [Chemistry](#)
- [Biology](#)
- [Medicine & Health](#)
- [Other Sciences](#)

- [Bio & Medicine](#)
- [Nanophysics](#)
- [Nanomaterials](#)

# Confining light for use in nanophotonic devices

[August 15, 2010](#) by Miranda Marquit

"There is a strong drive to make smaller and smaller devices," Hui Cao tells PhysOrg.com.

"However, there are limitations to what we can do. We want faster devices than what we can get from electronics, so we are looking to photonics. Unfortunately, photonics, while having the potential to be much faster, are larger in size. Devices using electrons are smaller, on the nanoscale, while photonic devices are still on the microscale—defined by the wavelength of light."

[Ads by Google](#)

[Nanotechnology Research](#) - Open access scientific & medical research. Sign up for email alerts! - [www.dovepress.com](http://www.dovepress.com)

- [Q](#)  
Cao is a scientist at Yale University, and she explains that the biggest issue with creating nanoscale photonic devices to replace electronic devices, as in optical interconnects, is that the light won't stay confined on the nanoscale. "The photons leak out quickly, so there has to be a way to keep them in place so that there is enough time for them to perform functions. It is also necessary to make small light sources, such as nanolasers on chips," she says.

In an effort to move nanophotonic devices a step closer to realization, Cao and Q.H. Song, also at Yale, worked out a way that it might be possible to confine light in [nanostructures](#). Their work is described in

- Physical Review Letters: "Improving Optical Confinement in Nanostructures via External Mode Coupling."
- "Consider two modes, both of which are pretty leaky," Cao explains. "There is an A mode and a B mode. These two modes can be couple so that mode A gives part of its leakiness to mode B. Mode A becomes less leaking, while mode B becomes more leaky. As a result, you have efficiently increased the lifetime of mode A."

The increase in the lifetime of one of the modes in this coupling provides just what is needed to create a situation in which the light is confined. "It is no longer leaking out as much for light in mode A, and there is more time for functions to be performed," Cao says. She also points out that this type of external coupling has been successful in other fields. "It's somewhat fundamental, and once you have the ability to keep [light](#) in a nanostructure, it becomes possible to contemplate smaller photonic devices with speed capabilities beyond our current electronic devices."

So far, Cao and Song have only presented their ideas in the form of numerical simulations. "We don't have experimental results yet, but our extensive numerical calculations indicate that this should be possible, and a similar concept has been used in other fields, such as resonance trapping in atomic and molecular physics. However, this approach has not been used in nanophotonics yet."

Cao thinks that the main obstacles to experiments with this idea include fine control over nanostructures, as well as access to the proper facilities. "There is a challenge in fine control of nanostructures, but the technology does exist to overcome this," Cao says. "Mainly we are looking for access to the kinds of facilities that can fabricate the type of structure we propose. I think this kind of structure can be made using nanofabrication technology, with the right set up."

As long as an experiment can be performed to back up the numerical simulations performed by Cao and Song, there is a chance that this technique could help advance the use of nanophotonic devices. "It's kind of novel, the way we use fundamental physics to solve this problem," Cao says. "It's also realistic, and something that could be used practically in the advance of nanotechnology."

**More information:** Q.H. Song and H. Cao, "Improving Optical Confinement in Nanostructures via External Mode Coupling," Physical Review Letters (July 2010). [DOI:10.1103/PhysRevLett.105.053902](https://doi.org/10.1103/PhysRevLett.105.053902) .

Copyright 2010 PhysOrg.com.

All rights reserved. This material may not be published, broadcast, rewritten or redistributed in whole or part without the express written permission of PhysOrg.com.

Advertisement



Have a \$500k portfolio? Ken Fisher, a 27-year Forbes columnist, has a retirement guide for you!



New Haven - New rule allows many Connecticut residents to get car insurance at half-price.



MIT scientists have uncovered the shocking solution to erasing wrinkles...



Take the FREE Personality Test and get matched to local singles only at Chemistry.com

[view popular](#) [send feedback to editors](#)

4.3 /5 (15 votes)

- [1](#)
- [2](#)
- [3](#)
- [4](#)
- [5](#)

Commenting is closed for this article.



## Rank

- [1](#)
- [2](#)
- [3](#)
- [4](#)
- [5](#)

4.3 / 5 (15 votes)

## Tags

[light](#), [nanophotonic](#), [nanostructures](#), [optical confinement](#)

## Related Stories

- [New nano color sorters from Molecular Foundry](#) Nov 12, 2009 | not rated yet | 0
- [IMEC reports method to integrate plasmonic technology with state-of-the-art ICs](#) Apr 30, 2009 | not rated yet | 0
- [Technological breakthrough in Silicon Photonics: Intel Silicon-based Optical Modulator Could Run Faster Than 1GHz](#) Jul 14, 2004 | not rated yet | 0
- [Nanosys Announces Issued Patent Covering Fundamental Nanowire Heterostructures](#) May 06, 2005 | not rated yet | 0
- [Novel 'Dual-Grating Assisted Directional Coupler' Developed For Nanophotonics](#) Jan 30, 2006 | not rated yet | 0
- [Featured](#)
- [Last comments](#)
- [Popular](#)
- [Most shared](#)
- [Partners](#)
- [Keeping it together: Protecting entanglement from decoherence and sudden death](#) 6 hours ago | 4 / 5 (5) | 1
- [Your brain on dye: Imaging neuronal voltage with fluorescent sensors and molecular wires](#) Feb 24, 2012 | 4.9 / 5 (7) | 0

- [Motorized roller could mass-produce graphene-based devices](#) Feb 23, 2012 | 5 / 5 (16) | 0
- [Stars containing dark matter should look different from other stars](#) Feb 20, 2012 | 4.5 / 5 (17) | 11
- [Physicists discover evidence of rare hypernucleus, a component of strange matter](#) Feb 17, 2012 | 4.7 / 5 (39) | 23

### [more news](#)

Relevant PhysicsForums posts

- [Need a source for practice problems](#)  
1 hour ago
- [Don't understand te taylor expansion?](#)  
3 hours ago
- [Most Elegant Equation](#)  
4 hours ago
- [difficult situation in auto repair needs ideas](#)  
4 hours ago
- [Maximum acceleration of the body in elliptic orbit.](#)  
5 hours ago
- [field inside conductor-is it zero every where??](#)  
13 hours ago
- More from [Physics Forums - General Physics](#)



#### **A Healthier Cigarette?**

Read our shocking report on e-cigarettes as the break through device for better living in 2011. [Learn more](#)



#### **Joint discomfort Warning**

Shocking discovery by Cambridge Researcher's for amazing joint relief. [Learn more](#)



#### **New Policy in Connecticut**

( Connecticut) - If you have car insurance and drive 2 hours/day or less you better read this... [Learn more](#)

## More news stories

### [Scientists image the charge distribution within a single molecule for the first time](#)



(PhysOrg.com) -- IBM scientists were able to measure for the first time how charge is distributed within a single molecule. This achievement will enable fundamental scientific insights into single-molecule ...

[Nanotechnology](#) / [Nanophysics](#)

8 hours ago | 5 / 5 (10) | 1 |


## [New nanotechnology converts heat into power when it's needed most](#)

Never get stranded with a dead cell phone again. A promising new technology called Power Felt, a thermoelectric device that converts body heat into an electrical current, soon could create enough juice to make another call ...

[Nanotechnology](#) / [Nanophysics](#)

Feb 22, 2012 | 4 / 5 (9) | 9 |

## [Metal nanoparticles shine with customizable color \(w/ video\)](#)




(PhysOrg.com) -- Engineers at Harvard have demonstrated a new kind of tunable color filter that uses optical nanoantennas to obtain precise control of color output.

[Nanotechnology](#) / [Nanophysics](#)

Feb 23, 2012 | 4.9 / 5 (8) | 6 |

## [New technique produces free-standing piezoelectric ferroelectric nanostructures from PZT material](#)




(PhysOrg.com) -- Researchers have developed a "soft template infiltration" technique for fabricating free-standing piezoelectrically active ferroelectric nanotubes and other nanostructures from PZT ...

[Nanotechnology](#) / [Nanophysics](#)

Feb 22, 2012 | 5 / 5 (7) | 4 |

## [Graphene is thinnest known anti-corrosion coating](#)



New research has established the "miracle material" called graphene as the world's thinnest known coating for protecting metals against corrosion. Their study on this potential new use of graphene appears ...

[Nanotechnology](#) / [Nanomaterials](#)

Feb 22, 2012 | 4.7 / 5 (9) | 3 |

## [Paper highlights need for correctly measuring solar cell efficiency](#)

(PhysOrg.com) -- As the pace of solar cell research continues to accelerate, the question for every new design is "what's its efficiency?" Since measuring how efficiently a solar cell converts ...



## [Scientists get first full look at prehistoric New Zealand penguin](#)




After 35 years, a giant fossil penguin has finally been completely reconstructed, giving researchers new insights into prehistoric penguin diversity.

## [Antarctic salty soil sucks water out of atmosphere: Could it happen on Mars?](#)



(PhysOrg.com) -- The frigid McMurdo Dry Valleys in Antarctica are a cold, polar desert, yet the sandy soils there are frequently dotted with moist patches in the spring despite a lack of snowmelt and no possibility ...

## [Experimental smart outlet brings flexibility, resiliency to grid architecture](#)



(PhysOrg.com) -- Sandia National Laboratories has developed an experimental "smart outlet" that autonomously measures, monitors and controls electrical loads with no connection to a centralized computer or ...

## [Indigenous peoples at forefront of climate change offer lessons on plant biodiversity](#)

Humans are frequently blamed for deforestation and the destruction of environments, yet there are also examples of peoples and cultures around the world that have learned to manage and conserve the precious resources around ...

## [Traces of listeria found in Vancouver ready-to-eat fish products: study](#)

A University of British Columbia study has found traces of the bacteria listeria in ready-to-eat fish products sold in Metro Vancouver, Canada.

- [top](#)
- [Home](#)
- [Medical Xpress](#)
- [Search](#)
  
- [Help](#)
- [What's new](#)
- [About us](#)
- [Contact / FAQ](#)
- [Partners](#)
  
- [PhysOrg Account](#)
- [Sponsored Account](#)
- [Newsletter](#)
- [RSS feeds](#)
  
- [iPhone iPad Apps](#)



- [Blackberry App](#)
- [Android App&Widget](#)
- [Amazon Kindle](#)
- [PDA version](#)
  
- [Feature Stories](#)
- [Weblog & Reports](#)
- [Podcasts](#)
- [Archive](#)
  
- [Facebook](#)
- [Twitter](#)

© PhysOrg.com™ 2003-2012 [Privacy Policy](#) | [Terms of Use](#)